



Electronic inflating device for cars & truck tires

Safety cage for inflating any tire of cars, light commercial and industrial vehicles, having 1600 mm. max. diameter and 800 mm. max. width.

Description

Safety cage for inflating any tyre of cars, light commercial and industrial vehicles, having 1600 mm. max. diameter and 800 mm. max. width. Equipped with electronic digital computerized inflator suitable for inflating any kind of tyre up to a max. pressure of 10 BAR (145 PSI) with excellent precision (0,08 BAR - 1,15 PSI) and in total safety. Service pressure required: 10-12 BAR (145-175 PSI). Possibility of operating at temperatures between -18°C and +55°C. Start, stop and inflating pressure selection by means of buttons on control display.

Features

• Motor 230V-1ph-50Hz.

Standard Features

Max. tire diameter	1600 mm (63")
Max. tire width	800 mm (31.5")
Operating pressure	10 bar (145 psi)
Power supply	230V - 1ph
Inflating pression	0,5 - 10 bar
Inflating precision	0,08 bar
Weight	190 Kg

5 700Standard Accessories







CAGE (9218516) Safety cage, without electronic inflating device.



BOOST-C (9212740)
Inflating kit for tubeless truck tires, with 18lt. air tank



BOOST-T (9217280) Inflating kit for tubeless truck tires, with 50lt. air tank



Scan QR code to go to product web page



Giuliano Industrial S.p.A.

via Guerrieri 6 Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

https://www.giuliano-automotive.com



Social Network













