



Semiautomatic tyre changer with sideways moving arm

Semiautomatic tyre changer with sideways moving arm, expressly designed for oversize and racing tyres. It is suitable for car and motorcycle wheels having rim size from 10" to 22" (max. diameter 1200mm/47,5", max. wheel width 390 mm/15").

Description

Semiautomatic tyre changer with sideways moving arm, expressly designed for oversize and racing tyres. It is suitable for car and motorcycle wheels having rim size from 10" to 22" (max. diameter 1200mm/47,5", max. wheel width 390 mm/15").

Features

- Fixed vertical arm-Sideways moving horizontal arm;
- Locking system by handwheel;
- 20" turntable, outside clamping;
- Air operated bead breaker;
- Oversize body;
- Motor 230/400V-3ph-50Hz.

Giuliano Industrial S.p.A.

Standard Features

Rim clamping range	10" - 24"
Max. tyre diameter	1200 mm (47,5")
Max. tyre width	390 mm (15")
Max. bead-breaker cylinder force	24700 N
Operating pressure	10 bar (145 psi)
Power supply	230/400 V 3ph
Motor power	0,55 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	220 Kg STD 225 Kg GT







Scan QR code to go to product web page



Giuliano Industrial S.p.A.

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



Social Network



Facebook



YouTube



Twitter



Giuliano Industrial S.p.A.

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.