

**Semiautomatic tyre changer with sideways moving arm**

Semiautomatic tyre changer with sideways moving arm, suitable for car and motorcycle wheels having rim size from 10" to 20" (max. diameter 1000mm/39", max. wheel width 330 mm/13").

**Description**

Semiautomatic tyre changer with sideways moving arm, suitable for car and motorcycle wheels having rim size from 10" to 20" (max. diameter 1000mm/39", max. wheel width 330 mm/13").

**Features**

- Fixed vertical arm;
- Sideways moving horizontal arm;
- Operating arm locking by handwheel ;
- 18" turntable, outside clamping ;
- Air operated bead-breaker;
- Extractable pedal unit;
- Oversize body
- Motor 230/400V-3ph-50Hz.

**Giuliano Industrial S.p.A.**

## Standard Features

---

Rim clamping range	10" - 20"
Max. tyre diameter	1000 mm (39")
Max. tyre width	330 mm (13")
Max. bead-breaker cylinder force	2500 kg
Operating pressure	10 bar (145 psi)
Power supply	230/400 V 3ph
Motor power	0,55 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	195 kg STD 213 kg GT



**S 112 F**  
Standard Accessories





**S 112 F**  
Optional Accessories



**[www.giuliano-automotive.com](http://www.giuliano-automotive.com)**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).



Scan QR code to go to product web page



**Giuliano Industrial S.p.A.**

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



**Social Network**



Facebook



YouTube



Twitter



**Giuliano Industrial S.p.A.**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).