

**Superautomatic tyre changing machine suitable for car and motorcycle tyres**

Automatic tyre changing machine suitable for car and motorcycle tyres having rim size from 10" to 22" (max. diameter 1000mm/39", max width 330mm/13").

Description

Automatic tyre changing machine suitable for car and motorcycle tyres having rim size from 10" to 22" (max. diameter 1000mm/39", max width 330mm/13").

Features

- Tilting vertical arm;
- Operating arm pneumatical locking;
- 20" turntable, outside clamping
- Air operated bead;
- Breaker-Oversize body;
- Extractable pedal unit;
- Motor 230/400V-3ph-50Hz.

Giuliano Industrial S.p.A.

Standard Features

Rim clamping range	10" - 22"
Max. tyre diameter	1000 mm (39")
Max. tyre width	340 mm (13")
Max. bead-breaker cylinder force	24700 N
Operating pressure	10 bar (145 psi)
Power supply	230/400 V 3ph
Motor power	0,55 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	215 Kg STD 233 Kg GT





QX (9243338)

QX is a leverless mount/demount device, suitable for conventional, UHP and Run Flat tyres. Exclusive GIULIANO **Patent**, it works in the same exact way of your traditional tyre bar, but **without operator's manual force....**



Scan QR code to go to product web page



Giuliano Industrial S.p.A.

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



Social Network



Facebook



YouTube



Twitter



Giuliano Industrial S.p.A.