



**Superautomatic tyre changer, particularly suggested for oversize and racing tyres**

Superautomatic tyre changer, particularly suggested for oversize and racing tyres and designed for tyre specialists. It is suitable for car and motorcycle wheels having rim size from 12" to 26" (max. diameter 1200 mm. / 47" - max. wheel width 410 mm. / 16").

### Description

Superautomatic tyre changer, particularly suggested for oversize and racing tyres and designed for tyre specialists. It is suitable for car and motorcycle wheels having rim size from 12" to 26" (max. diameter 1200 mm. / 47" - max. wheel width 410 mm. / 16"). Equipped with turntable double-speed bidirectional rotation system with hand switch control.

#### Features

- Oversize vertical arm, tilting control by pedal, equipped with a built-in system for locking/adjusting the operating arm according to horizontal/vertical bending stress;
- Pneumatical system for lifting/lowering and locking the operating arm;
- Star-shaped turntable, 24" outside clamping;
- Adjustable bead-breaker with double-effect pneumatic cylinder;
- Bead breaker parallelogram movement, to keep a constant angle on tyre bead;
- Oversize body;
- Extractable pedal unit;
- 2-speed motor: 230/400V-3ph-50Hz.

WDK: Version available upon request

**Giuliano Industrial S.p.A.**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).

## Standard Features

---

Rim clamping range	12" - 26"
Max. tyre diameter	1200 mm (47")
Max. tyre width	406 mm (16")
Max. bead-breaker cylinder force	30800 N
Operating pressure	10 bar (145 psi)
Balancing speed	7-14 rpm
Power supply	400 V 3ph
Motor power	0,8-1,1 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	290 kg STD
	335 kg GT
	355 kg GTE





**QX** (9243338)

QX is a leverless mount/demount device, suitable for conventional, UHP and Run Flat tyres. Exclusive GIULIANO **Patent**, it works in the same exact way of your traditional tyre bar, but **without operator's manual force....**



Scan QR code to go to product web page



**Giuliano Industrial S.p.A.**

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



**Social Network**



Facebook



YouTube



Twitter



**Giuliano Industrial S.p.A.**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).