

**Preparation Area Work Platform UP3**

Pneumatic operated mobile work platform (MEWP) for preparation and working areas.

**Description**

Pneumatic operated mobile work platform (MEWP) for preparation and working areas.

**Features**

- 4 Wheeled mobile frame;
- Capacity 300Kg;
- Max lifting height 2830 mm (at foot);
- Equipped on board with compressed air connection for work tools.

**ATEX approved Class 2 II 2 GD c IIB T6 T85°C**

Standard Features

Maximum lifting capacity	300 Kg ( <b>H3</b> ), 200 Kg ( <b>H2</b> )
Max. lifting height	2830 mm ( <b>H3</b> ), 2000 mm ( <b>H2</b> )
Operating pressure	≥ 6 BAR ( <b>H3</b> ), ≥ 8 BAR ( <b>H2</b> )
Work platform dimensions	2990x880x1100 mm ( <b>H3</b> ), 2000x700x1100 mm ( <b>H2</b> )
Lifting time	49 sec
Lowering time	35 sec
Net weight	495 Kg ( <b>H3</b> ), 365 Kg ( <b>H2</b> )







Scan QR code to go to product web page



**Giuliano Industrial S.p.A.**

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



**Social Network**



Facebook



YouTube



Twitter



**Giuliano Industrial S.p.A.**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).