



Preparation Area Work Platform UP3

Pneumatic operated mobile work platform (MEWP) for preparation and working areas

Main Features



Description

Pneumatic operated mobile work platform (MEWP) for preparation and working areas.

Features

- 4 Wheeled mobile frame;
- Capacity 300Kg;
- Max lifting height 2830 mm (at foot);
- Equipped on board with compressed air connection for work tools.

ATEX approved Class 2 II 2 GD c IIB T6 T85°C

Standard Features

Maximum lifting capacity	300 Kg (H3), 200 Kg (H2)
Max. lifting height	2830 mm (H3), 2000 mm (H2)
Operating pressure	≥ 6 BAR (H3), ≥ 8 BAR (H2)
Work platform dimensions	2990x880x1100 mm (H3), 2000x700x1100 mm (H2)
Lifting time	49 sec
Lowering time	35 sec
Net weight	495 Kg (H3), 365 Kg (H2)



UP 3
Standard Accessories



www.giuliano-automotive.com

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.



UP 3
Optional Accessories



www.giuliano-automotive.com

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.



Scan QR code to go to product web page



Giuliano Industrial S.p.A.

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



Social Network



Facebook



YouTube



Twitter



Giuliano Industrial S.p.A.