



Semiautomatic tyre changer with sideways moving arm

Semiautomatic tyre changer with sideways moving arm, suitable for motorcycle wheels having rim size from 6" to 24" (max. diameter 1000 mm./39" - max wheel width 240 mm./9,5")

Description

Semiautomatic tyre changer with sideways moving arm, suitable for motorcycle wheels having rim size from 6" to 24" (max. diameter 1000 mm./39" - max wheel width 240 mm./9,5"). Equipped with special turntable with 4 motorcycle adapted clamps.

Features

- Fixed vertical arm;
- Sideways moving horizontal arm;
- Operating arm locking by handwheel;
- Special turntable for motorcycle wheels, with adjustable position of the clamps, 23" outside clamping;
- Air operated bead breaker;
- Motor 230/400V-3ph-50Hz.

Giuliano Industrial S.p.A.

Standard Features

Rim clamping range	6" - 24"
Max. tyre diameter	1000 mm (39")
Max. tyre width	240 mm (9½")
Max. bead-breaker cylinder force	2500 kg
Operating pressure	10 bar (145 psi)
Power supply	230/400 V 3ph
Motor power	0,55 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	158 kg



S 109 Bike
Standard Accessories



www.giuliano-automotive.com

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.



S 109 Bike
Optional Accessories



www.giuliano-automotive.com

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.



Scan QR code to go to product web page



Giuliano Industrial S.p.A.

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



Social Network



Facebook



YouTube



Twitter



Giuliano Industrial S.p.A.