

Superautomatic tyre changer suitable for car and motorcycle wheels

Superautomatic tyre changer suitable for car and motorcycle wheels having rim size from 10” to 24" rim (max. diameter 1000 mm./39", max. wheel width 380 mm./15").

Description

Superautomatic tyre changer suitable for car and motorcycle wheels having rim size from 10” to 24" rim (max. diameter 1000 mm./39", max. wheel width 380 mm./15"). Equipped with turntable double speed bidirectional rotation system with hand switch control.
Features

- Tilting vertical arm with pedal control;
- Pneumatic system for lifting/lowering and locking the operating arm;
- 10-22" turntable, outside clamping;
- Bead-breaker with double effect pneuamatic cylinder;
- Oversize body;
- Extractable pedal unit;
- 2 speed motor 230/400V-3ph-50Hz.

WDK: Version available upon request

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.

Standard Features

Rim clamping range	10" - 24"
Max. tyre diameter	1000 mm (39")
Max. tyre width	385 mm (15")
Max. bead-breaker cylinder force	30800 N
Operating pressure	10 bar (145 psi)
Balancing speed	7-14 rpm
Power supply	400 V 3ph
Motor power	0,8 - 1,1 kW
Max. spindle torque	1200 Nm
Inflating pressure limiting device max.	3,5 bar (50 psi)
Net weight	224 Kg STD 264 Kg GT

www.giuliano-automotive.com

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.

www.giuliano-automotive.com
The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.



QX (9243338)
QX is a leverless mount/demount device, suitable for conventional, UHP and Run Flat tyres. Exclusive GIULIANO **Patent**, it works in the same exact way of your traditional tyre bar, but **without operator's manual force**....

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.

Scan QR code to go to product web page

Giuliano Industrial S.p.A.
via Guerrieri 6
Correggio (RE)
Italy
+39 0522 731111
+39 0522 633198
https://www.giuliano-automotive.com

Social Network

Facebook

YouTube

Twitter

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from www.giuliano-automotive.com.