

**Truck tyre changer 14"-26", suitable for Tubeless Tyres Only**

Tyre changer for truck and bus fleets, suitable for tubeless tyres only with 14" - 26" rim (max. wheel diameter 1200 mm./47"; max. wheel width 780 mm./30").

**Description**

Tyre changer for truck and bus fleets, suitable for **tubeless tyres only** with 14" - 26" rim (max. wheel diameter 1200 mm./47"; max. wheel width 780 mm./30"). Equipped with manual wheel clamping system by faceplate, cones and ring nut, and with bead pressing roller for mounting/removing tubeless tyres.

**Functions**

- Hydraulic movement of clamping chuck holding arm (up-down);
- Hydraulic travel movement of operating arm carriage (left-right);
- Operating arm manual tilting;
- Wheel clamping by face plate, cones and ring nut;
- Operating arm and clamping chuck arm facing each other;
- All motions controlled by joysticks;
- Safety switches and electric circuit breakers for both pump motor and chuck motor;
- Suitable for installation of additional extra arm + roller, for faster bead breaking, mounting and demounting operation (optional)

**Giuliano Industrial S.p.A.**

Standard Features

Rim clamping range	14" - 26"
Max. tyre diameter	1200 mm (47")
Max. tyre width	780 mm (30")
Bead breaker force	18300 N
Operating pressure	130 bar (1885 psi)
Power supply	400V / 230V - 3ph Other voltages and frequencies available upon request
Hydraulic pump motor power	1,1 kW (3 ph)
Clamping chuck motor power	1,1 kW (3 ph)
Net weight	380 kg
Max. tyre assembly weight	1500 kg
Max overall dimensions	1330÷1570x1500x1160 mm



Standard accessories



**TBSR 2** (9218165)  
Roller tool for mounting / demounting tubeless  
truck tyres



**EX ARM** (9209551)  
Additional tool-holder, including tubeless roller



**DT 1** (9209552)  
Double mounting / demounting tool with bead levers.



**AGC** (9299271)  
Clamp for alu-rims.



**WGC** (9219656)  
G-Clamp with wider bead-press angle, for agriculture tyres.



Scan QR code to go to product web page



**Giuliano Industrial S.p.A.**

via Guerrieri 6

Correggio (RE)

Italy

+39 0522 731111

+39 0522 633198

<https://www.giuliano-automotive.com>



**Social Network**



Facebook



YouTube



Twitter



**Giuliano Industrial S.p.A.**

The information contained in this document is the sole property of Giuliano Automotive. The document is NOT authentic if it has been downloaded from a website different from [www.giuliano-automotive.com](http://www.giuliano-automotive.com).